

New Mexico
Birth Defects Counts and Prevalence 2014 - 2018 (Prevalence per 10,000 Live Births)

Defect	Maternal Race/Ethnicity					Total*	Notes
	White, Non-Hispanic	Black, Non-Hispanic	Hispanic	Asian or Pacific Islander, Non-Hispanic	American Indian or Alaska Native, Non-Hispanic		
Anencephalus	2 <i>0.6</i>	0 <i>0.0</i>	4 <i>0.6</i>	0 <i>0.0</i>	2 <i>1.3</i>	8 <i>0.7</i>	
Anophthalmia/microphthalmia	4 <i>1.6</i>	1 <i>5.5</i>	6 <i>1.2</i>	0 <i>0.0</i>	1 <i>0.9</i>	12 <i>1.3</i>	1
Anotia/microtia	4 <i>1.6</i>	0 <i>0.0</i>	30 <i>6.1</i>	0 <i>0.0</i>	10 <i>8.8</i>	44 <i>4.9</i>	1
Aortic valve stenosis	4 <i>1.6</i>	0 <i>0.0</i>	1 <i>0.2</i>	0 <i>0.0</i>	1 <i>0.9</i>	6 <i>0.7</i>	1
Atrial septal defect	664 <i>264.0</i>	62 <i>343.1</i>	1,330 <i>270.2</i>	53 <i>264.5</i>	353 <i>312.1</i>	2,462 <i>274.3</i>	1
Atrioventricular septal defect (Endocardial cushion defect)	10 <i>4.0</i>	1 <i>5.5</i>	18 <i>3.7</i>	0 <i>0.0</i>	8 <i>7.1</i>	37 <i>4.1</i>	1
Biliary atresia	5 <i>2.0</i>	1 <i>5.5</i>	18 <i>3.7</i>	0 <i>0.0</i>	7 <i>6.2</i>	31 <i>3.5</i>	1
Bladder exstrophy	2 <i>0.8</i>	1 <i>5.5</i>	0 <i>0.0</i>	0 <i>0.0</i>	0 <i>0.0</i>	3 <i>0.3</i>	1
Choanal atresia	4 <i>1.6</i>	0 <i>0.0</i>	5 <i>1.0</i>	0 <i>0.0</i>	1 <i>0.9</i>	10 <i>1.1</i>	1
Cleft lip alone	17 <i>5.3</i>	0 <i>0.0</i>	23 <i>3.7</i>	1 <i>3.9</i>	11 <i>7.4</i>	52 <i>4.6</i>	
Cleft lip with cleft palate	25 <i>7.8</i>	1 <i>4.1</i>	49 <i>7.9</i>	1 <i>3.9</i>	22 <i>14.8</i>	98 <i>8.6</i>	
Cleft palate alone	27 <i>8.5</i>	4 <i>16.6</i>	47 <i>7.6</i>	2 <i>7.7</i>	19 <i>12.8</i>	99 <i>8.7</i>	
Cloacal exstrophy	4 <i>1.6</i>	1 <i>5.5</i>	4 <i>0.8</i>	0 <i>0.0</i>	4 <i>3.5</i>	13 <i>1.4</i>	1
Clubfoot	56 <i>22.3</i>	6 <i>33.2</i>	119 <i>24.2</i>	2 <i>10.0</i>	19 <i>16.8</i>	202 <i>22.5</i>	1
Coarctation of the aorta	17 <i>6.8</i>	0 <i>0.0</i>	46 <i>9.3</i>	1 <i>5.0</i>	9 <i>8.0</i>	73 <i>8.1</i>	1
Common truncus (truncus arteriosus)	0 <i>0.0</i>	0 <i>0.0</i>	4 <i>0.6</i>	0 <i>0.0</i>	0 <i>0.0</i>	4 <i>0.4</i>	
Congenital cataract	0 <i>0.0</i>	0 <i>0.0</i>	1 <i>0.2</i>	0 <i>0.0</i>	3 <i>2.7</i>	4 <i>0.4</i>	1
Congenital posterior urethral valves	5 <i>3.9</i>	1 <i>10.9</i>	7 <i>2.8</i>	0 <i>0.0</i>	1 <i>1.8</i>	14 <i>3.1</i>	2
Craniosynostosis	46 <i>18.3</i>	2 <i>11.1</i>	108 <i>21.9</i>	3 <i>15.0</i>	30 <i>26.5</i>	190 <i>21.2</i>	1
Deletion 22q11.2	0 <i>0.0</i>	1 <i>5.5</i>	8 <i>1.6</i>	1 <i>5.0</i>	3 <i>2.7</i>	13 <i>1.4</i>	1
Diaphragmatic hernia	15 <i>6.0</i>	2 <i>11.1</i>	19 <i>3.9</i>	0 <i>0.0</i>	9 <i>8.0</i>	45 <i>5.0</i>	1
Double outlet right ventricle	8 <i>3.2</i>	0 <i>0.0</i>	13 <i>2.6</i>	0 <i>0.0</i>	5 <i>4.4</i>	26 <i>2.9</i>	1
Ebstein anomaly	0 <i>0.0</i>	0 <i>0.0</i>	4 <i>0.8</i>	0 <i>0.0</i>	2 <i>1.8</i>	6 <i>0.7</i>	1
Encephalocele	1 <i>0.4</i>	0 <i>0.0</i>	3 <i>0.6</i>	0 <i>0.0</i>	5 <i>4.4</i>	9 <i>1.0</i>	1
Esophageal atresia/tracheoesophageal fistula	8 <i>3.2</i>	0 <i>0.0</i>	15 <i>3.0</i>	0 <i>0.0</i>	5 <i>4.4</i>	28 <i>3.1</i>	1
Gastroschisis	19 <i>6.0</i>	0 <i>0.0</i>	40 <i>6.5</i>	0 <i>0.0</i>	24 <i>16.2</i>	83 <i>7.3</i>	
Holoprosencephaly	5 <i>2.0</i>	2 <i>11.1</i>	13 <i>2.6</i>	0 <i>0.0</i>	7 <i>6.2</i>	27 <i>3.0</i>	1
Hypoplastic left heart syndrome	2 <i>0.6</i>	1 <i>4.1</i>	9 <i>1.5</i>	1 <i>3.9</i>	4 <i>2.7</i>	17 <i>1.5</i>	
Hypospadias	107 <i>65.4</i>	7 <i>57.2</i>	141 <i>44.8</i>	6 <i>43.8</i>	9 <i>12.0</i>	271 <i>46.5</i>	3
Interrupted aortic arch	8 <i>3.2</i>	0 <i>0.0</i>	15 <i>3.0</i>	0 <i>0.0</i>	1 <i>0.9</i>	24 <i>2.7</i>	1

New Mexico
Birth Defects Counts and Prevalence 2014 - 2018 (Prevalence per 10,000 Live Births)

Defect	Maternal Race/Ethnicity					Total*	Notes
	White, Non-Hispanic	Black, Non-Hispanic	Hispanic	Asian or Pacific Islander, Non-Hispanic	American Alaska Native, Non-Hispanic		
Limb deficiencies (reduction defects)	20 <i>6.3</i>	0 <i>0.0</i>	37 <i>6.0</i>	2 <i>7.7</i>	6 <i>4.0</i>	65 <i>5.7</i>	
Omphalocele	0 <i>0.0</i>	3 <i>16.6</i>	8 <i>1.6</i>	0 <i>0.0</i>	3 <i>2.7</i>	14 <i>1.6</i>	1
Pulmonary valve atresia and stenosis	22 <i>8.7</i>	3 <i>16.6</i>	42 <i>8.5</i>	1 <i>5.0</i>	11 <i>9.7</i>	79 <i>8.8</i>	1
Pulmonary valve atresia	4 <i>1.6</i>	0 <i>0.0</i>	5 <i>1.0</i>	0 <i>0.0</i>	4 <i>3.5</i>	13 <i>1.4</i>	1
Rectal and large intestinal atresia/stenosis	6 <i>2.4</i>	1 <i>5.5</i>	20 <i>4.1</i>	1 <i>5.0</i>	5 <i>4.4</i>	33 <i>3.7</i>	1
Renal agenesis/hypoplasia	24 <i>7.5</i>	4 <i>16.6</i>	33 <i>5.3</i>	2 <i>7.7</i>	11 <i>7.4</i>	74 <i>6.5</i>	
Single ventricle	3 <i>1.2</i>	1 <i>5.5</i>	3 <i>0.6</i>	0 <i>0.0</i>	2 <i>1.8</i>	9 <i>1.0</i>	1
Small intestinal atresia/stenosis	12 <i>4.8</i>	0 <i>0.0</i>	18 <i>3.7</i>	0 <i>0.0</i>	6 <i>5.3</i>	36 <i>4.0</i>	1
Spina bifida without anencephalus	9 <i>2.8</i>	0 <i>0.0</i>	22 <i>3.5</i>	0 <i>0.0</i>	5 <i>3.4</i>	37 <i>3.2</i>	
Tetralogy of Fallot	2 <i>0.6</i>	0 <i>0.0</i>	20 <i>3.2</i>	1 <i>3.9</i>	7 <i>4.7</i>	30 <i>2.6</i>	
Total anomalous pulmonary venous connection	2 <i>0.8</i>	0 <i>0.0</i>	2 <i>0.4</i>	0 <i>0.0</i>	4 <i>3.5</i>	8 <i>0.9</i>	1
Transposition of the great arteries (TGA)	5 <i>1.6</i>	0 <i>0.0</i>	10 <i>1.6</i>	0 <i>0.0</i>	2 <i>1.3</i>	17 <i>1.5</i>	
Dextro-transposition of great arteries (d-TGA)	3 <i>1.2</i>	0 <i>0.0</i>	9 <i>1.8</i>	0 <i>0.0</i>	1 <i>0.9</i>	13 <i>1.4</i>	1
Tricuspid valve atresia and stenosis	1 <i>0.4</i>	0 <i>0.0</i>	7 <i>1.4</i>	0 <i>0.0</i>	2 <i>1.8</i>	10 <i>1.1</i>	1
Trisomy 13	1 <i>0.3</i>	0 <i>0.0</i>	5 <i>0.8</i>	1 <i>3.9</i>	3 <i>2.0</i>	10 <i>0.9</i>	
Trisomy 18	6 <i>1.9</i>	0 <i>0.0</i>	6 <i>1.0</i>	3 <i>11.6</i>	3 <i>2.0</i>	18 <i>1.6</i>	
Trisomy 21 (Down syndrome)	37 <i>11.6</i>	5 <i>20.7</i>	87 <i>14.0</i>	2 <i>7.7</i>	25 <i>16.9</i>	157 <i>13.7</i>	
Turner syndrome	4 <i>3.3</i>	0 <i>0.0</i>	7 <i>2.9</i>	1 <i>10.5</i>	3 <i>5.4</i>	15 <i>3.4</i>	4
Ventricular septal defect	137 <i>54.5</i>	10 <i>55.3</i>	297 <i>60.3</i>	15 <i>74.9</i>	106 <i>93.7</i>	565 <i>63.0</i>	1
Total live births	31,927	2,410	62,005	2,596	14,827	114,267	
Male live births	16,364	1,224	31,494	1,370	7,497	58,242	
Female live births	12,279	889	24,169	948	5,604	44,000	

New Mexico
Birth Defects Counts and Prevalence 2014 - 2018 (Prevalence per 10,000 Live Births)

Defect	Maternal Age (Years)		Total*	Notes
	Less than 35	35+		
Gastroschisis	83	0	83	
	<i>8.3</i>	<i>0.0</i>	<i>7.3</i>	
Trisomy 13	5	4	10	
	<i>0.5</i>	<i>2.8</i>	<i>0.9</i>	
Trisomy 18	7	8	18	
	<i>0.7</i>	<i>5.5</i>	<i>1.6</i>	
Trisomy 21 (Down syndrome)	92	62	157	
	<i>9.2</i>	<i>42.7</i>	<i>13.7</i>	
Total live births	99,745	14,522	114,267	

Notes

1. Data for this condition begin in 2015.
2. Data for this condition begin in 2015. Data for this condition include male and unknown gender cases only. Prevalence is calculated per 10,000 male live births.
3. Data for this condition include male and unknown gender cases only. Prevalence is calculated per 10,000 male live births.
4. Data for this condition begin in 2015. Data for this condition include female and unknown gender cases only. Prevalence is calculated per 10,000 female live births.

General comments

*Data for totals include unknown and/or other.

-Data for conditions from 2016-2018 are provisional.